AMENDMENTS TO THE CLAIMS

1. (Currently Amended) A chandelier suitable for mounting on a patio table umbrella having a canopy supported by a plurality of ribs that extend radially from the upper end of a vertical post and a plurality of radially extending struts connected to the ribs, the chandelier comprising:

a frame configured to surround the post;

a plurality of means hangers for each connecting the frame to a corresponding one of the struts and uniformly suspending the frame beneath the canopy at a plurality of circumferentially spaced locations at a predetermined safe distance above a horizontal table surface through which the post extends; and

a plurality of means mounted on the frame for providing decorative illumination.

- 2. (Original) The chandelier of Claim 1 wherein the frame is configured in the form of a ring.
 - 3. (Canceled)
- 4. (Original) The chandelier of Claim 1 and further comprising a plurality of holders connected to the frame for each removably receiving a corresponding one of the decorative illumination means.
- 5. (Original) The chandelier of Claim 1 wherein the decorative illumination means is a candle.
- 6. (Original) The chandelier of Claim 1 wherein the decorative illumination means is an oil lamp.
- 7. (Original) The chandelier of Claim 1 wherein the decorative illumination means is an incandescent lamp.

2

4

6

8

10

2

- 8. (Currently Amended) The chandelier of Claim 1 wherein the decorative illumination means and the connecting means hangers are interspersed around the frame.

 9. (Original) The chandelier of Claim 1 wherein the frame is configured in the
- 10. (Currently Amended) The chandelier of Claim 1 wherein the connecting means hangers each comprise double ended hooks.

form of at least one cylindrical metal ring with attached artistic elements.

11. (Currently Amended) A combination collapsible umbrella, chandelier, and patio table, comprising:

a patio table having a horizontal table surface and a hole in the center of the surface; an umbrella having a canopy supported by a plurality of ribs that extend radially from the upper end of a post and a plurality of radially extending struts connected to the ribs, the post extending vertically through the hole in the center of the horizontal table surface;

a frame surrounding the post;

a plurality of attachment mechanisms double ended hooks each connecting the frame to a corresponding one of the struts and uniformly suspending the frame beneath the canopy at a plurality of circumferentially spaced locations at a predetermined safe distance above the horizontal table surface through which the post extends; and

a plurality of luminary devices mounted on the frame capable of providing decorative illumination.

- 12. (Original) The combination of Claim 11 wherein the frame is configured in the form of a ring.
- 13. (Original) The combination of Claim 11 and further comprising a plurality of
 holders connected to the frame for each removably receiving a corresponding one of the luminary devices.
- 14. (Original) The combination of Claim 11 wherein the luminary devices are2 candles.

2

4

6

8

10

12

2

- 15. (Original) The combination of Claim 11 wherein the luminary devices are oillamps.
- 16. (Original) The combination of Claim 11 wherein the luminary devices are incandescent lamps.
- 17. (Currently Amended) The combination of Claim 11 wherein the luminary
 2 devices and the attachment mechanisms double ended hooks are interspersed around the frame.
- 18. (Original) The combination of Claim 11 wherein the frame is configured in the form of at least one cylindrical metal ring with attached artistic elements.

19-20 (Canceled)